

ReactOS Attempt

I recently just learned of [ReactOS](#), a Free and Open Source Operating System that has been in the works for over 20 years and aims to be able to natively run Windows programs and drivers. It's still feature-incomplete alpha software, but I thought it could be a good way of running ham radio programs made for Windows so I gave it a try in Virtualbox and tried to install Winlink.

TLDR:

Winlink loads but I can't seem to be able to configure it. Here's what I've done so far and where it fails. If anyone else is interested in tinkering with this, let me know if you manage to get passed any of these issues...


Download ReactOS

- First step: Downloaded the BootCD (not LiveCD) of [ReactOS 0.4.13](#) and save it.


Virtualbox

I used Virtualbox 6.1 under LinuxMint 20 XFCE.

- Create a new machine.



- Name it "ReactOS" and the version will pre-populate to "Windows 2003 (32-bit)" on its own.



- I doubled the RAM to 1024MB



- To load the “install CD”, click on the word “Storage”:




- Select “Empty” and click on the CD icon.



- Navigate to the file ReactOS-0.4.13.iso and you should see:




- Back to the first screen, you can now start the machine.




Install ReactOS

- The install screen will start and you simply press ENTER.




- In fact, you'll have to press ENTER a few times until this next screen, where you need to press P first, and then ENTER:



- ReactOS will show a bunch more screens, simply follow the prompts. It'll reboot and install more things. Then at some point, it'll ask to remove the CD. This is done using the CD icon at the bottom of the Virtualbox screen:



- That looks promising! ReactOS has a Windows 2000 look, which I personally prefer to all the other versions of Windows.




Install Firefox

Now that ReactOS is installed, we're ready to install some programs.

- Click on the Applications Manager:




- Search for Firefox and install version 48.



- Once Firefox is installed, do **not** let it update; that broke it for me.

- Up to this point, everything works fine, but we're about to break things so before we continue, let's create a clone of the Virtualbox install...



Attempt #1

- The first thing I tried was to install [Winlink Express](#).
- It installed but wouldn't load at all.


Attempt #2

This [Winlink with Wine](#) page says to install these in the following sequence:


1. [.NET 3.5 sp1](#)
2. "Microsoft Visual Basic 6 Runtime Service Pack 6"
3. "Microsoft HTML Rendering Engine 8"
4. "Visual C++ 14.0"

I got stock at step 1...

- At first, it looked like it was gonna work:




- But then it seems it got stock downloading some components and after a while failed:




Attempt #3

I deleted the machine and re-cloned the clone I made earlier.


- From the Applications Manager, I installed .NET version 2: \\



- and VB6:



- Installed Winlink again, and this time it loaded. It took about 15-20 seconds, but it loaded: \\



- But unfortunately, when I go to Settings → Winlink Express Setup... and fill out the information, it doesn't "Update".

Winlink Express Properties

Call Signs

My Callsign: My Password:
(Case sensitive) ☐ Show password
Callsign suffix (optional): (Used for country code)
Password recovery e-mail:
(Non-Winlink e-mail address where lost password will be sent when requested)

Auxiliary Callsigns and Tactical Addresses

My Grid Square:

Winlink Express registration key:

Service Codes

(Use PUBLIC for ham call signs. Separate multiple service codes by spaces.)
If you change service codes, you must update the list of channels.

Contact Information (Optional)

Name:
Street address 1:
Street address 2:
City:
State/Province:
Country:
Postal code:
Web Site URL (optional):
Phone number:
Non-Winlink e-mail:
Additional information (optional):
Recalculate HF path quality if SFI changes more than:
Keep logs for weeks. Keep deleted messages for days.
☐ Display list of pending incoming messages prior to download
☒ Warn about connections to stations holding messages
☒ Allow diagnostic information to be sent to the Winlink Development Team
☐ Automatically install field-test (beta) versions of Winlink Express

8/8